


Product comparison : Koru KRD versus Fuji Benefi ER

System Features Octagon

Based on Screen Katana tests



:Review + implementation

- **HeNe 670 nM/ drop-in for :**
 - ◆ processing set-up

- **HeNe 635 nM/drop-in for :**
 - ◆ processing set-up

Adjustment for :

- ◆ calibration set-up : needs to be adjusted
- ◆ exposure set-up : output an internal test exposure : based on practical density of 4.10 an increase in exp. of +- 45% is needed.

Adjustment for :

- ◆ calibration set-up : needs to be adjusted
- ◆ exposure set-up : output an internal test exposure : based on practical density of 4.10 an increase in exp. of +- 40% is needed.

Product Colors

KRD



Emulsion side

Back side

Benefi ER



Emulsion side









Back side

Product comparison : Koru KRD versus Fuji Benefi ER

Image quality



2400 dpi / 150 lpi

koru KRD		Fuji Benefi ER	
On agfa AccuSet (670 nM)			
			
50% = 54%	5% = 4%	50% = 52%	5% = 3%
On Screen Katana (635nM)			
			
50% = 52%	5% = 4%	50% = 50%	5% = 4%

Practical Photographic Properties

Engine	AccuSet		Katana	
	KRD	Benefi ER	KRD	Benefi ER
Property	KRD	Benefi ER	KRD	Benefi ER
Int. Setting	205	140	210	150
Practical density	D.4.00-4.20	D. >4.00	D.4.00-4.20	D. >4.00
5%	4%	4%	5%	5%
50%	55%	51%	55%	51%
95%	99%	98%	96%	98%

Note: - Koru KRD processed in Koru KF dev. - Fuji Benefi processed in Fuji QR-D1
 - Before switching over to Koru KF developer cleaning with Koru Chemical Cleaner is obligatory.