


Product comparison : Koru KRD versus Fuji RAS

System Features Octagon

Based on Screen Katana tests



:Review + implementation

- **HeNe 670 nM/ drop-in for :**
 - ◆ processing set-up
 - ◆ calibration set-up
- **HeNe 635 nM/drop-in for :**
 - ◆ processing set-up
 - ◆ calibration set-up

Adjustment for :

- ◆ **exposure set-up :** output an internal test exposure : based on practical density of 4.10 an increase in exp. of +- 35% is needed

Adjustment for :

- ◆ **exposure set-up :** output an internal test exposure : based on practical density of 4.10 an increase in exp. of +- 20% is needed.

Product Colors

KRD



Emulsion side

Back side

RAS



Emulsion side









Back side

Product comparison : Koru KRD versus Fuji RAS

Image quality



2400 dpi / 150 lpi

koru KRD		Fuji RAS	
On agfa AccuSet (670 nM)			
			
50% = 54%	5% = 4%	50% = 55%	5% = 5%
On Screen Katana (635nM)			
			
50% = 52%	5% = 4%	50% = 53%	5% = 4%

Practical Photographic Properties

Engine	AccuSet		Katana	
	KRD	RAS	KRD	RAS
Property				
Int. Setting	205	165	210	180
Practical density	D.4.00-4.20	D.4.00-4.20	D.4.00-4.20	D.4.00-4.20
5%	4%	6%	5%	6%
50%	55%	57%	55%	57%
95%	99%	99%	96%	99%

Note: - Koru KRD processed in Koru KF dev. - Fuji RAS processed in Fuji QR-D1
 - Before switching over to Koru KF developer cleansing with Koru Chemical Cleaner is obligatory.